PATENT NO. : 7,236,144 B2 Page 1 of 14

APPLICATION NO. : 10/749568

DATED : June 26, 2007

INVENTOR(S) : Amichai Ben Ari

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 1, Line 12:

Change "The Jewish torah scroll is written in biblical Hebrew. For" to --The Jewish Torah scroll is written in Hebrew. For--.

Column 1, Line 19:

Change "were added over the years to didactic biblical texts, some of" to --were added over the years to didactic biblical texts, --.

Column 1, Line 20:

Change "them are the cantillation marks which are diacrtic symbols" to --including cantillation marks which are diacrtic symbols--.

Column 1, Line 29:

Change "also poor in vowel and punctuation marks, thus requiring an" to --also lacking in vowel and punctuation marks, thus requiring an--.

Column 1, Line 33:

Change "today is obligated to memorized the chant of reading the text" to --today is obligated to memorize the chant of reading the text--.

Column 1, Line 36:

Change "As the years pass, less and less people are trained and" to --As the years pass, fewer and fewer people are trained and--.

Column 1, Line 53:

Change "without altering the original text. Said method comprising" to --without altering the original text. Such a method--.

Column 1, Line 54:

Change "the steps of providing said printed matter in a manner" to --comprises providing said printed matter in a manner--.

PATENT NO.

: 7,236,144 B2

Page 2 of 14

APPLICATION NO.: 10/749568

DATED

: June 26, 2007

INVENTOR(S) : Amichai Ben Ari

> It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 1, Line 55:

Change "suitable for said projection. Then, said signs are prepared on" to --suitable for projection. Then, the signs are prepared on--.

Column 1, Line 56:

Change "a suitable media in the manner so that said signs are in" to --a suitable medium in a manner that the signs are in--.

Column 1, Line 57:

Change "alignment with said printed matter. Lastly, said signs are" to --proper alignment with the printed matter. Lastly, the signs are--.

Column 1, Line 58:

Change "projected on top of said printed matter such that the signs" to --projected on top of the printed matter such that the signs--.

Column 1, Line 64:

Change "aligned with the suitable media comprising the signs to be" to --aligned with the suitable medium comprising the signs to be--.

Column 1, Line 66:

Change "The media should be such that it can be projected on the" to --The medium should be such that it can be projected on the--.

Column 2, Line 8:

Change "By another option, the suitable media is a visual-projec-[tion]" to --By another option, the medium is a visual-projec-[tion]--.

Column 2, Lines 20-21:

Change "the scope of the present invention wherein the said signs are means for editing the printed matter to be more readable." to --the scope of the present invention wherein the signs serve to render the printed matter to be more readable.--.

PATENT NO.

: 7,236,144 B2

Page 3 of 14

APPLICATION NO.: 10/749568

DATED

: June 26, 2007

INVENTOR(S)

: Amichai Ben Ari

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 2, Line 25:

Change "previous page, the first word of coming page and/or the" to --a previous page, the first word of a coming page and/or the--.

Column 2, Line 26:

Change "queue for reading the tora (i.e., in Hebrew: aliya latorah)." to --cue for reading the torah (i.e., in Hebrew: aliya latorah).--.

Column 2, Line 42:

Change "is restored in a file, (ii) obtaining or creating a database" to --is restored in a file; (ii) obtaining or creating a database--.

Column 2, Line 43:

Change "comprising a list of sign to be incorporated into the said." to --comprising a list of signs to be incorporated into the said text;--.

Column 2, Line 45:

Change "the said text file. (iv) A sign or a plurality of signs is retrived" to --the text file; (iv) retrieving a sign or a plurality of signs--.

Column 2, Line 46:

Change "from the said database. (v) Said conjugated character-sign" to --from the database; (v) comparing a conjugated character-sign--.

Column 2, Line 47:

Change "couple is compared with a reference character-sign couple." to --couple with a reference character-sign couple; --.

PATENT NO.

: 7,236,144 B2

Page 4 of 14

DATED

APPLICATION NO.: 10/749568

INVENTOR(S)

: June 26, 2007 : Amichai Ben Ari

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 2, Lines 48-51:

Change "(vi) Said conjugated couple is fitted or not fitted in a loop such in the way that all the text is projected by the coordinated signs. Lastly, in step (vii) the enriched text is projected by the coordinated signs." to --spatially disposing the sign in the conjugated couple relative to the character in the conjugated couple so as to match a spatial alignment of the sign and character in the reference character-sign couple; and (vii) protecting the coordinated signs on to the test so as to produce an enriched text.--

Column 3, Line 1:

Change "case the Biblical cantillation marks) may not relay on" to --case the Biblical cantillation marks) may not rely on--.

Column 3, Line 3:

Change "but should be prepared as a tailor made, especially adapted" to --but should be tailor made, especially adapted--.

Column 3, Line 5:

Change "media for projection is being prepared." to --medium for projection is being prepared--.

Column 3, Line 15:

Change "[posi]tion to a corresponding sign, on the media being prepared for" to --[posi]tion to a corresponding sign, on the medium being prepared for--.

Column 3, Line 19:

Change "signs (e.g. cantillation marks) in the media being prepared" to --signs (e.g. cantillation marks) in the medium being prepared--.

Column 3, Line 27:

Change "the scanning of the text. It is still in the scope of the present" to --the scanning of the text. [New paragraph] It is still in the scope of the present--.

PATENT NO.

: 7,236,144 B2

Page 5 of 14

APPLICATION NO.: 10/749568

INVENTOR(S)

DATED

: June 26, 2007 : Amichai Ben Ari

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 3, Line 32:

Change "printed text. Said sheet may be a composition of a plurality" to --printed text. Such a sheet may be a composition of a plurality--.

Column 3, Lines 47-52:

Change "text. Said device preferable comprising a first roll and a" to --text. Such a device preferably comprises a first roller and a--.

Column 3, Line 48:

Change "second roll, wherein a long projecting sheet member is" to --second roller, wherein a long projecting sheet member is--.

Column 3, Line 49:

Change "accommodate in between, and further wherein at least one of" to --accommodated in between the rollers, and further wherein at least one of--.

Column 3, Line 50:

Change "said rolls is having means to roll the sheet so each of the" to --the rollers has means to roll the sheet so each of the--.

Column 3, Line 51:

Change "pages of the printed matter is fitting a known portion of the" to --pages of the printed matter fits a known portion of the--.

Column 4, Line 14:

Change "The following description is provided, along all chapters" to -- The following description is provided,--.

Column 4, Line 15:

Change "of the present invention, so as to enable any person skilled" to --so as to enable any person skilled --.

PATENT NO. : 7,236,144 B2 Page 6 of 14

APPLICATION NO. : 10/749568

DATED : June 26, 2007

INVENTOR(S) : Amichai Ben Ari

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 4, Line 16:

Change "in the art to make use of said invention and sets forth the best" to --in the art to make use of the invention and sets for the best--.

Column 4, Line 23:

Change "for projecting signs on a printed matter. Said printed matter" to --for projecting signs on a printed matter. Such printed matter--.

Column 4, Line 27:

Change "[inven-]tion, said printed matter is a traditional Jewish torah scroll" to --[inven-]tion, said printed matter is a traditional Jewish Torah scroll--.

Column 4, Line 29:

Change "is written by the hand of an expert (i.e., in Hebrew: Safer" to --is written by hand of an expert (i.e., in Hebrew: Sofer--.

Column 4, Line 39:

Change "punctuation marks on an original text. Said text is usually" to --punctuation marks on an original text. Such text may be--.

Column 4, Line 44:

Change "notes. Said notes are selected, yet not limited to a page" to --notes. Such notes are selected, yet not limited to a page--.

Column 4, Line 48:

Change "graphical signs and/or pictures. In particularly, said inserts" to --graphical signs and/or pictures. In particular, the inserts--.

Column 4, Line 52:

Change "part of a Jewish torah scroll having neither punctuation" to --part of a Jewish Torah scroll having neither punctuation--.

PATENT NO. : 7,236,144 B2

Page 7 of 14

APPLICATION NO.: 10/749568
DATED: June 26, 2007
INVENTOR(S): Amichai Ben Ari

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 4, Line 55:

Change "torah text. FIG 3 presents a projected view of the Torah text" to --torah text. FIG. 3 presents a projected view of the Torah text--.

Column 4, Line 59:

Change "top of a torah book. As one can see in FIGS. 1-3, each page" to --top of a Torah scroll. As one can see in FIGS. 1-3, each page--.

Column 4, Line 60:

Change "of said scroll companies 48 to 60 lines in a page and 35 to" to -- of the scroll companies 48 to 60 lines in a page and 35 to--.

Column 4, Line 61:

Change "55 characters in one line, a transparent sheet adapted for" to --55 characters in one line. A transparent sheet adapted for--

Column 4, Line 63:

Change "phthalate made sheet is suitable for this instance. For various" to --phthalate sheet is suitable for this instance. For various--.

Column 4, Line 65:

Change "Alternatively, a strip of self-adherent polymer is to be used." to --Alternatively, a strip of self-adherent polymer may be used.--

Column 4, Line 66:

Change "Said polymeric sheet may be adapted for a singular use or" to --Such a polymeric sheet may be adapted for single use or--.

Column 4, Line 67:

Change "alternatively, said sheet may be adapted for a continuous use." to --alternatively, it may be adapted for a continuous use.--.

Page 8 of 14

PATENT NO. : 7,236,144 B2 APPLICATION NO.: 10/749568

DATED INVENTOR(S) : June 26, 2007 : Amichai Ben Ari

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 5, Line 1:

Change "Such a continuous use is provided by means of a fixed or" to --Such continuous use is provided by means of a fixed or--.

Column 5, Line 2:

Change "mobile rolling device. The said roll is adapted to use an" to --mobile rolling device. The roll is adapted to use an--.

Column 5, Line 5:

Change "[schemati-]cally presenting a traditionally handmade bible scroll com-[prising]" to --[schemati-]cally presenting a traditionally hand-made bible scroll com-[prising]--.

Column 5, Line 6:

Change "[com-]prising a first roll (41a) and a second roll (41b). Said rolls" to --[com-]prising a first roller (41a) and a second roller (41b). The rollers--.

Column 5, Line 11:

Change "adjacent to the said bible scroll. Said device comprises of a" to --adjacent to the bible scroll. The device roller comprises a--.

Column 5, Line 13:

Change "sheet (47) is delivered from a first roll (46a) towards a" to --sheet (47) is delivered from a first roller (46a) towards a--.

Column 5, Line 14:

Change "second roll (46b) be means of handle (47), rotated in a 360°" to --second roller (46b) by means of a handle (47), rotated in a 360°--.

Column 5, Line 15:

Change "movement in the direction (48) so the transparent sheet is" to --movement in the direction (48) so that the transparent--.

PATENT NO. : 7,236,144 B2 APPLICATION NO. : 10/749568 Page 9 of 14

DATED : June
INVENTOR(S) : Ami

: June 26, 2007 : Amichai Ben Ari

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 5, Line 16:

Change "moving downwards (49). To align the insertion printed on" to --moves downwards (49). Alignment of the insertion printed on--.

Column 5, Line 17:

Change "sheet (47) with the biblical text (44) is easily provided by" to --sheet (47) with the biblical text (44) is facilitated by--.

Column 5, Line 18:

Change "means dashed line (47a) indicating the place of the" to --means of a dashed line (47a) indicating the proper piece--.

Column 5, Line 20:

Change "Subesquently reference is showing made now to FIG. 5, presenting" to --Reference is made now to FIG. 5, presenting--.

Column 5, Line 21:

Change "the very same roller, whereat the text was rolled to a certain" to --alignment of the same roller, showing the text rolled to a certain--.

Column 5, Line 22:

Change "page, and further wherein the cantillation marks are pro-[jected]" to --page, and further showing the cantillation marks pro-[jected]--.

Column 5, Line 23:

Change "[pro-]jected on top of the text of the said page." to --[pro-]jected on top of the text of the page--.

Column 5, Line 26:

Change "other signs as defined in the present invention, said device" to --other signs as defined in the present invention, the device--.

PATENT NO.

: 7,236,144 B2

Page 10 of 14

APPLICATION NO.: 10/749568

DATED INVENTOR(S) : June 26, 2007 : Amichai Ben Ari

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 5, Line 27:

Change "comprises of a relatively rigid frame (61) accommodating a" to --comprising a relatively rigid frame (61) accomodating a--.

Column 5, Line 28:

Change "transparent sheet (62) whereat said cantillation and/or signs" to --transparent sheet (62) on which cantillation and/or signs--.

Column 5, Line 29:

Change "are written or printed (63). According to one embodiments" to -- are written or printed (63). According to one embodiment--.

Column 5, Line 31:

Change "said frame so that the device is suitable to be appended upon the" to --the frame so that the device is suitable to be appended upon the--.

Column 5, Line 32:

Change "printed matter at any position. Said embodiment is espe-[cially]" to --printed matter at any position. Such an embodiment is espe-[cially]--.

Column 5, Line 33:

Change "[espe-]cially useful to be used in that torah scroll that is to be open" to --[espe-]cially useful for a Torah scroll that is--.

Column 5, Line 34:

Change "to be read in a perpendicular orientation." to --read in an upright orientation.--.

Column 5, Line 35:

Change "Reference is still made to FIG. 6B schematically present-[ing]" to --Reference is also made to FIG. 6B schematically present-[ing]--.

PATENT NO. : 7,236,144 B2 APPLICATION NO. : 10/749568

Page 11 of 14

DATED INVENTOR(S)

: June 26, 2007 : Amichai Ben Ari

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 5, Line 40:

Change "a mutual holder (65). Each of said sheets contains signs or" to --a mutual holder (65). Each of the sheets contains signs or--.

Column 5, Line 41:

Change "cantillation to be projected over a subsequent page of the" to --cantillation marks to be projected over a subsequent page of the--.

Column 5, Line 42:

Change "printed matter and/or torah scroll." to --printed matter and/or Torah scroll--.

Column 5, Line 44:

Change "[present-]ing a simplified block diagram of a method for projecting" to --[present-]ing a simplified flow diagram of a method for projecting--.

Column 5, Line 46:

Change "matter, as such as a traditional handmade biblical scroll. Said" to --matter, as such as a traditional handmade biblical scroll. The--.

Column 5, Line 48:

Change "to a file. It is acknowledged that in many cases, expensive" to --to a file. It should be noted that in many cases, expensive--.

Column 5, Line 52:

Change "or in parallel, said cantillation marks of the original text is" to --or in the parallel, the cantillation marks of the original text are--.

Column 5, Line 56:

Change "to said characters are provided and subsequently compared" to --to the characters are provided and subsequently compared--.

PATENT NO. : 7,236,144 B2 Page 12 of 14

APPLICATION NO.: 10/749568

DATED: June 26, 2007

INVENTOR(S): Amichai Ben Ari

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 5, Line 59:

Change "(76). In case the mark is not fitting the character, a mistake" to --(76). In case the mark does not fit the character, a mistake--.

Column 5, Line 60:

Change "announcement is to be presented (77). If the user is allowing" to --message is presented (77). If the user allows--.

Column 5, Line 61:

Change "the correlation, the very same overlapping is provided (78)." to --the correlation, the same overlapping is proved (78)--.

Column 5, Line 63:

Change "stopped (79). The character is to be fitted with the cantilla-[tion]" to --stopped (79). The character is fitted with the cantilla-[tion]--.

Column 5, Line 66:

Change "continue until the end of the text (82) or the next page is been" to --continued until the end of the text (82) or the next page is--.

Column 6, Line 3:

Change "other know techniques, such as photocopying the printed" to --other known techniques, such as photocopying the printed--.

Column 6, line 7:

Change "the positioning of the signs are preparing a media for" to --the positioning of the signs for preparing a medium for--.

Column 6, Line 11:

Change "comprising; (a) scanning a sheet printed with characters" to --comprises: (a scanning a sheet printed with characters--.

PATENT NO.

: 7,236,144 B2

Page 13 of 14

APPLICATION NO.: 10/749568

DATED

: June 26, 2007

INVENTOR(S)

: Amichai Ben Ari

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 6, Line 12:

Change "each of which is having a predetermined X-Y coordination" to --each of which has predetermined X-Y coordinates--.

Column 6, Line 14:

Change "[char-]acters by means of appropriate computer program; (c)" to --[char-]acters by means of an appropriate computer program; (c)--.

Column 6, Line 15:

Change "registering the X-Y coordination of each character or of" to --registering the X-Y coordinates of each character or of--.

Column 6, Line 19 -20:

Change "appropriate X-Y coordination respective to the corresponding character (or characters) (f) preparing a media of signs" to --appropriate X-Y coordinates relative to the corresponding character (or characters) (f) preparing a medium of signs--.

Column 6, Line 31:

Change "verifies each character versus similar character existing in a" to --verifies each character versus a similar character existing in a--.

Column 6, Line 33:

Change "believed to be exactly correspond, wherein at least a part of" to --believed to be exactly correspond, wherein at least some of--.

Column 6, Line 36:

Change "in the scanned file as matching a versus character in the" to --in the scanned file as matching a character in the--.

Column 6, Line 38:

Change "comparison file is being copied to a new file that contains" to --comparison file is copied to a new file that contains--.

PATENT NO. : 7,236,144 B2 APPLICATION NO.: 10/749568

Page 14 of 14

DATED INVENTOR(S) : June 26, 2007 : Amichai Ben Ari

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 6, Line 40:

Change "predetermined manner respective to the X-Y coordination of" to --predetermined manner respective to the X-Y coordinates of--.

Signed and Sealed this

Third Day of June, 2008

JON W. DUDAS Director of the United States Patent and Trademark Office